PATENT
Attorney Docket No. DHI-03864

APPENDIX I

PENDING CLAIMS

- 1. (Once Amended) A method for determining the presence of thyroidstimulating autoantibodies in a test sample, comprising:
 - a) providing:
 - i) a test sample suspected of containing thyroid-stimulating autoantibodies,
 - ii) cultured cells selected from FRTL-5 cells, CHO-R cells, and
 CHOLuc cells, wherein said cultured cells are contained within a testing means,
 and
 - iii) polyethylene glycol;
 - b) exposing said test sample to said cultured cells and said polyethylene glycol under conditions such that said thyroid-stimulating antibodies are detectable; and
 - c) observing for the presence of detectable thyroid-stimulating antibodies.
- 3. The method of Claim 1, wherein said observing is conducted using a luminometer.
- 4. The method of Claim 1, wherein said observing is conducted using cyclic adenosine monophosphate measurements.
 - 5. The method of Claim 1, further comprising a Growth Medium.
 - 6. The method of Claim 1, further comprising a Stimulation Medium.
- 7. The method of Claim 5, wherein said cultured cells are exposed to said Growth Medium prior to exposure of said test sample.

08/02/01

11:43

- 8. The method of Claim 6, wherein said cultured cells are exposed to said Stimulation Medium after exposure to said test sample.
- 9. The method of Claim 7, wherein said Stimulation Medium comprises said polyethylene glycol.
- 10. A method for determining the presence of thyroid-stimulating autoantibodies in a test sample, comprising:
 - a) providing:
 - i) a test sample suspected of containing thyroid-stimulating autoantibodies,
 - ii) cultured cells selected from the group consisting of FRTL-5 cells, CHO-R cells, and CHOLuc cells contained within a testing means, and
 - iii) polyethylene glycol;
 - b) exposing said test sample to said cultured cells and said polyethylene glycol under conditions such that said thyroid-stimulating antibodies are detectable; and
 - c) observing for the presence of detectable thyroid-stimulating antibodies, wherein said observing utilizes a luminometer.
 - 11. The method of Claim 10, further comprising a Growth Medium.
 - 12. The method of Claim 10, further comprising a Stimulation Medium.
- 13. The method of Claim 11, wherein said cultured cells are exposed to said Growth Medium prior to exposure of said test sample.
- 14. The method of Claim 12, wherein said cultured cells are exposed to said Stimulation Medium after exposure to said test sample.

- 15. The method of Claim 10, wherein said Stimulation Medium comprises said polyethylene glycol.
- 16. A method for determining the presence of thyroid-stimulating autoantibodies in a test sample, comprising:
 - a) providing:
 - i) a test sample suspected of containing thyroid-stimulating autoantibodies,
 - ii) cultured cells selected from the group consisting of FRTL-5 cells, CHO-R cells, and CHOLuc cells contained within a testing means,
 - iii) Growth Medium, and
 - iv) Stimulation Medium, wherein said Stimulation Medium comprises polyethylene glycol;
 - b) exposing said cultured said to said Growth Medium to produce grown cells;
 - c) exposing said test sample to said grown cells and said Stimulation Medium under conditions such that said thyroid-stimulating antibodies are detectable; and
 - c) observing for the presence of detectable thyroid-stimulating antibodies, wherein said observing utilizes a luminometer.
 - 17. The method of Claim 16, wherein said cells are CHOLuc cells.
- 18. The method of Claim 17, wherein said observing further comprises measuring the cyclic adenosine monophosphate concentration.